



NACHI BEARINGS LTD



1.575 Inch | 40 Millimeter x 3.15 Inch | 80
 Millimeter x 1.189 Inch | 30.2 Millimeter NTN
 5208 Angular Contact Ball Bearings

Bearing No. 5208

5208 Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.607
EAN	4547359537260
Product Group	B00152
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	40MM Bore; 80MM Outside Diameter; 30.2MM Width; Open; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot;



NACHI BEARINGS LTD

	No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	5208
Weight / LBS	1.339
D	3.15 Inch 80 Millimeter
d	1.575 Inch 40 Millimeter
B	1.189 Inch 30.2 Millimeter
bore diameter:	40 mm
radial static load capacity:	33500 N
outside diameter:	80 mm
operating temperature range:	-40 to 120 ° C
overall width:	1.1875 in
cage material:	Steel
contact angle:	25 °
outer ring width:	30.2 mm
row type & fill slot:	Double-Row Non-Fill Slot
maximum rpm:	7100 rpm
internal clearance:	C0
finish/coating:	Uncoated
bore type:	Round
precision rating:	Class 0
closure type:	Open
fillet radius:	1.1 mm
snap ring included:	Without Snap Ring
series:	52



NACHI BEARINGS LTD

bearing material:	High Carbon Chrome Steel
weight:	0.606 kg
radial dynamic load capacity:	44000 N
manufacturer product page:	Click here